MODEL:

SRW012UHD

12U Heavy-Duty Wall-Mount Open Frame Rack









12 Rack Units

150 lb. Load Rating


Accommodates Standard 19-inch Equipment

d Sturdy Steel Construction

A Top/Bottom Panel Frames

- **B** Vertical Mounting Rails (2)
- Reinforcement Straps (2)
- Threaded (#12-24) Mounting Holes

Also Includes: Owner's Manual, M5 button head cap screws (8), 3 mm Hex Key and rackmount equipment mounting hardware (24 #12-24 screws).



 Wall-mount racks provide convenient storage for rackmount IT devices and other equipment that should be off the floor and out of the way

- 2-post open-frame design is ideal for IT environments that do not require a lockable enclosure cabinet
- Ships disassembled for easy transport and assembly in tight spaces
- Threaded (#12-24) mounting holes enable fast equipment mounting
- Ideal for cost-conscious 19-inch rackmount applications

SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS





1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com


	<i> </i>
Specifications	Electronic Industries Alliance
Model	SRWO12UHD
Rack Spaces	12U
Equipment Mounting Depth	18 in. (45.72 cm)
Load Rating*	150 lb. (68 kg)
Unit Dimensions (H x W x D)	24.8 x 20.1 x 18.24 in. (63 x 51 x 46.3 cm)
Shipping Dimensions (H x W x D)	4 x 22 x 23.8 in. (10.16 x 55.88 x 60.45 cm)
Unit Weight	14.3 lb. (6.48 kg)
Shipping Weight	15.4 lb. (6.98 kg)
Standards	Meets EIA-310-D, IEC 60297-3-100, DIN 41494, NOM (Mexico) and RoHS standards


^{*}The load rating includes the combined weight of the unit and installed equipment. The unit must be mounted to a stable surface with user-supplied anchors capable of bearing the full load.

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.









SRW012UHD

MODEL:

1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com

Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

REAR VIEW